


**LC 3000**


**30 LC 1100**


**32 t**



**CE EN 14439 (C/25)**

| R (m) |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |    |  |
|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|----|--|
|       | 30,0  | 35    | 38    | 40    | 42    | 45    | 48    | 50    | 52    | 52,3  | 58,1  | 60    | 65    | 68    | 70    | 72    | 75    | 78    | 80    | m  |  |
| 80    | 32000 | 26545 | 23990 | 22515 | 21185 | 19420 | 17885 | 16970 | 16125 | 16000 | 16000 | 15415 | 14050 | 13325 | 12880 | 12465 | 11875 | 11335 | 11000 | kg |  |
| 70    | 32000 | 30720 | 27820 | 26140 | 24630 | 22625 | 20880 | 19840 | 18880 | 17580 | 16420 | 16000 | 66,2  | 68    | 70    | m     |       |       |       |    |  |
| 60    |       | 36,2  | 38    | 40    | 42    | 45    | 48    | 50    | 52    | 55    | 58    | 60    | m     |       |       |       |       |       |       |    |  |
|       |       | 32000 | 30220 | 28415 | 26790 | 24635 | 22760 | 21640 | 20610 | 19210 | 17965 | 17500 | kg    |       |       |       |       |       |       |    |  |
| 50    |       |       | 38,1  | 40    | 42    | 45    | 48    | 50    | m     |       |       |       |       |       |       |       |       |       |       |    |  |
|       |       |       | 32000 | 30180 | 28470 | 26200 | 24220 | 23500 | kg    |       |       |       |       |       |       |       |       |       |       |    |  |
| 40    |       |       | 38,2  | 40    | m     |       |       |       |       |       |       |       |       |       |       |       |       |       |       |    |  |
|       |       |       | 32000 | 31000 | kg    |       |       |       |       |       |       |       |       |       |       |       |       |       |       |    |  |





| nº | Ref. | □ (m) | h (m) |
|----|------|-------|-------|
| 1  | D55  | 4,0   | 5,5   |
| 2  | D56  | 4,0   | 5,5   |

|                |              |                      |
|----------------|--------------|----------------------|
| <b>R. máx.</b> | En servicio  | 10CR85 ..... 231 t   |
|                | In operation | 10XR65-A ..... 199 t |
|                | In Betrieb   |                      |

|                |                   |                      |
|----------------|-------------------|----------------------|
| <b>R. máx.</b> | Fuera de servicio | 10CR85 ..... 310 t   |
|                | Out of service    | 10XR65-A ..... 200 t |
|                | Hors service      |                      |
|                | Ausser Betrieb    |                      |

|       | ES65-A | ES85  |
|-------|--------|-------|
| A max | 55,0   | 77,0  |
| B max | -      | 38,5  |
| C max | 50,3   | 50,3  |
| H max | 105,3  | 143,8 |


Para otras zonas de viento o alturas superiores consultar  
 For other wind zones or additional hook heights on request  
 Pour d'autres zones de vent ou des hauteurs supplémentaires sur demande  
 Für andere Windzonen oder weiteren Hakenhöhen auf Anfrage

|              |               |
|--------------|---------------|
|              | <b>CFU-18</b> |
|              | <b>18 kW</b>  |
| 0 ⇄ 60 m/min |               |

|             |                  |
|-------------|------------------|
|             | <b>GFU-15</b>    |
|             | <b>4 x 15 kW</b> |
| 0 ⇄ 0,7 rpm |                  |

|              |                   |
|--------------|-------------------|
|              | <b>TRA-10</b>     |
|              | <b>4 x 100 Nm</b> |
| 0 ⇄ 20 m/min |                   |

|              |                   |
|--------------|-------------------|
|              | <b>TRA-10VC</b>   |
|              | <b>4 x 100 Nm</b> |
| 0 ⇄ 20 m/min |                   |



|                         |              |
|-------------------------|--------------|
| Tensión de alimentación | <b>400 V</b> |
| Operating voltage       | <b>3 ph</b>  |
| Tension de service      | <b>50 Hz</b> |
| Betriebsspannung        |              |

|            |          |
|------------|----------|
| Opcional   | <b>*</b> |
| Optional   |          |
| En option  |          |
| Kaufoption |          |