


**LC 3000**


**30 LC 1450**


**64 t**



**CE EN 14439 (C/25)**


| R (m) | $\frac{H}{S}$ |       |       |       |       | $\frac{H}{R}$ |       |       |       |       |       |       |       |       |       |       |       |       |       |    |
|-------|---------------|-------|-------|-------|-------|---------------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|----|
|       | 19,9          | 23    | 26    | 30    | 34,9  | 38,5          | 40    | 43    | 47    | 50    | 54    | 57    | 60    | 63    | 67    | 70    | 73    | 77    | 80    | m  |
| 80    | 64000         | 53555 | 46110 | 38665 | 32000 | 32000         | 30660 | 28210 | 25455 | 23690 | 21650 | 20315 | 19120 | 18045 | 16760 | 15895 | 15105 | 14150 | 13500 | kg |
| 70    |               | 23,3  | 26    | 30    | 35    | 38            | 40    | 41,3  | 45,6  | 50    | 54    | 57    | 60    | 63    | 67    | 70    |       |       |       | m  |
|       |               | 64000 | 56160 | 47280 | 39205 | 35440         | 33260 | 32000 | 32000 | 28790 | 26360 | 24770 | 23345 | 22060 | 20530 | 19500 |       |       |       | kg |
| 60    |               |       | 26,3  | 30    | 35    | 38            | 40    | 43    | 46,7  | 51,7  | 54    | 57    | 60    |       |       |       |       |       |       | m  |
|       |               |       | 64000 | 54675 | 45480 | 41190         | 38705 | 35435 | 32000 | 32000 | 30440 | 28625 | 27000 |       |       |       |       |       |       | kg |
| 50    |               |       |       | 26,7  | 30    | 35            | 38    | 40    | 43    | 47    | 50    |       |       |       |       |       |       |       |       | m  |
|       |               |       |       | 64000 | 55865 | 46490         | 42120 | 39585 | 36250 | 32495 | 32000 |       |       |       |       |       |       |       |       | kg |
| 40    |               |       |       |       | 26,8  | 30            | 35    | 38    | 40    |       |       |       |       |       |       |       |       |       |       | m  |
|       |               |       |       |       | 64000 | 56045         | 46645 | 42255 | 40700 |       |       |       |       |       |       |       |       |       |       | kg |





| n° | Ref. | □   | h   |
|----|------|-----|-----|
| 1  | D56  | 4,0 | 5,5 |

|                |   |                    |                |   |                    |
|----------------|---|--------------------|----------------|---|--------------------|
| <b>R. máx.</b> | En servicio<br>In operation<br>En service<br>In Betrieb | 10CR85 ..... 270 t | <b>R. máx.</b> | Fuera de servicio<br>Out of service<br>Hors service<br>Ausser Betrieb | 10CR85 ..... 322 t |
|                |   |                    |                |   |                    |



Para otras zonas de viento o alturas superiores consultar  
 For other wind zones or additional hook heights on request  
 Pour d'autres zones de vent ou des hauteurs supplémentaires sur demande  
 Für andere Windzonen oder weiteren Hakenhöhen auf Anfrage

|              |               |
|--------------|---------------|
|              | <b>CFU-18</b> |
|              | <b>18 kW</b>  |
| 0 ⇄ 60 m/min |               |

|             |                  |
|-------------|------------------|
|             | <b>GFU-15</b>    |
|             | <b>4 x 15 kW</b> |
| 0 ⇄ 0,7 rpm |                  |

|              |                   |
|--------------|-------------------|
|              | <b>TRA-10</b>     |
|              | <b>4 x 100 Nm</b> |
| 0 ⇄ 20 m/min |                   |

|              |                   |   |
|--------------|-------------------|---|
|              | <b>TRA-10VC</b>   | * |
|              | <b>4 x 100 Nm</b> |   |
| 0 ⇄ 20 m/min |                   |   |

|   |                     |
|---|---------------------|
| <br>1450 m<br>7 Capas<br>7 Layers<br>7 Couches<br>7 Lagen | <b>EFU4L-200-80</b> |
|   | <b>200 kW</b>       |
|   |                     |
|   |                     |

|  |   |
|--|---|
| Tensión de alimentación<br>Operating voltage<br>Tension de service<br>Betriebsspannung | <b>400 V</b><br><b>3 ph</b><br><b>50 Hz</b> |
|--|---|

|   |   |
|---|---|
| Opcional<br>Optional<br>En option<br>Kaufoption | * |
|---|---|